Author index

Adamec, L. Leaf absorption of mineral nutrients in carnivorous plants stimulates root nutrient uptake, 89
Aguilar, M. *see* Herrera-Rodríguez, M.B.
Allen, M.F. *see* Treseder, K.K.
Amicucci, A. *see* Iotti, M.
Artus, N. *see* Rodman, M.K.
Assunçao, A.G.L. *see* Ernst, W.H.O.
Auriola, S. *see* Koistinen, K.M.

Baker, A.J.M & Whiting, S.N. In search of the Holy Grail – a further step in understanding metal hyperaccumulation?, 1
Barnes, J.D. *see* Zheng, Y.
Barthram, G.T., Elston, D.A., Birch, C.P.D. & Bolton, G.R. Defoliation and site differences influence vegetative spread in grassland, 257
Bateman, K. *see* Berry, A.M.
Bauer, R. *see* Selosse, M-A.
Beckett, R.P. *see* Mayaba, N.
Bergman, B. *see* Berry, A.M.
Berry, A.M., Rasmussen, U., Bateman, K., Huss-Danell, K., Lindwall, S. & Bergman, B. Arabinogalactan proteins are expressed at the symbiotic interface in root nodules of *Alnus* spp., 469
Bert, V., Bonnin, I., Saumitou-Laprade, P., De Laguérie, P. & Petit, D. Do *Arabidopsis halleri* from nonmetallicolous populations accumulate zinc and cadmium more effectively than those from metallicolous populations?, 47
Berta, G. *see* Gamalero, E.
Bidartondo, M. *see* Bruns, T.
Biernacki, M. & Lovett-Doust, J. Developmental shifts in watermelon growth and reproduction caused by the squash bug, *Anasa tristis*, 265
Birch, C.P.D. *see* Barthram, G.T.
Boddy, L. *see* Hendry, S.J.
Bolton, G.R. *see* Barthram, G.T.
Bonnin, I. *see* Bert, V.
Britto, D.T., Siddiqi, M.Y., Glass, A.D.M. & Kronzucker, H.J. Subcellular NH_4^+ flux analysis in leaf segments of wheat (*Triticum aestivum*), 373
Bruns, T., Tan, J., Bidartondo, M., Szaro, T. & Redecker, D. Survival of *Suillus pungens* and *Amanita francheti* ectomycorrhizal genets was rare or absent after a stand-replacing wildfire, 517
Burrows, C. *see* Turney, C.S.M.

Carrasco-Ballesteros, S. *see* Herrera-Rodríguez, M.B.
Cedergreen, N. & Madsen, T.V. Nitrogen uptake by the floating macrophyte *Lemna minor*, 285
Chappelka, A.H. Reproductive development of blackberry (*Rubus cuneifolius*) as influenced by ozone, 249
Chen, S.C.G. *see* Lee, R-H.
Clark, D.R. *see* Flynn, K.J.
Clark, D.R., Flynn, K.J. & Owens, N.J.P. The large capacity for dark nitrate-assimilation in diatoms may overcome nitrate limitation of growth, 101

De Laguérie, P. *see* Bert, V.
Dodd, J. *see* Gonzales-Chavez, C.

Eaton-Rye, J.J. *see* Summerfield, T.C.
Edwards, N.T., Tschaplinski, T.J. & Norby, R.J. Stem respiration increases in CO_2-enriched sweetgum trees, 239
Ehleringer, J.R. *see* Helliker, B.R.
Elston, D.A. *see* Barthram, G.T.
Ernst, W.H.O., Assunçao, A.G.L., Verkleij, J.A.C. & Schat, H. How important is apoplastic zinc xylem loading in *Thlaspi caerulescens*?, 4

Fernández, R.J., Wang, M. & Reynolds, J.F. Do morphological changes mediate plant responses to water stress? A steady-state experiment with two C_4 grases, 79
Flynn, K.J. *see* Clark, D.R.
Flynn, K.J., Clark, D.R. & Owens, N.J.P. Modelling suggests that optimization of dark nitrogen-assimilation need not be a critical selective feature in phytoplankton, 109

Galloway, D.J. *see* Summerfield, T.C.
Gamalero, E., Matinotti, M.G., Trotta, A., Lemanceau, P. & Berta, G. Morphogenetic modifications induced by *Pseudomonas fluorescens* A6RI and *Glomus mossae* BEG12 in the root system of tomato differ according to plant growth conditions, 293
Ghignone, S. *see* Girlanda, M.
Girlanda, M., Ghignone, S. & Luppi, A.M. Diversity of sterile root-associated fungi of two mediterranean plants, 481
Glass, A.D.M. *see* Britto, D.T.
Gonzales-Chavez, C., Harris, P.J., Dodd, J. & Meharg, A.A. Arbuscular mycorrhizal fungi enhanced arsenate resistance on *Holcus lanatus*, 163
Grubb, P.J. Leaf form and function – towards a radical new approach., 317
Gynther, P.A.M. *see* Koistinen, K.M.

Haines, B.J. Zincophile root foraging in *Thlaspi caerulescens*, 363
Harris, P.J. *see* Gonzales-Chavez, C.
Hartley-Whitaker, J., Woods, C. & Meharg, A.A. Is differential phytochelatin production related to decreased arsenate influx in arsenate tolerant *Holcus lanatus*?, 219
Hassinen, V.H. *see* Koistinen, K.M.
Helliker, B.R. & Ehleringer, J.R. Grass blades as tree rings: environmentally induced changes in the oxygen isotope ratio of cellulose along the length of grass blades, 417

Hendry, S.J., Boddy, L. & Lonsdale, D. Abiotic variables effect differential expression of latent infections in beech (*Fagus sylvatica*), 449
Herrera-Rodríguez, M.B., Carrasco-Ballesteros, S., Maldonado, J.M., Pineda, M., Aguilar, M. & Pérez-Vicente, R. Three genes showing distinct regulatory patterns encode the asparagine synthetase of sunflower *Helianthus annuus*, 33
Holcroft, D.M. *see* Steyn, W.J.
Humphreys, W.M. Plant ecophysiology, 202
Hunt, J.E. *see* Turney, C.S.M.
Huss-Danell, K. *see* Berry, A.M.

Iotti, M., Amicucci, A., Stocci, V. & Zambonelli, A. Morphological and molecular characterization of mycelia of some *Tuber* species in pure culture, 499
Izhaki, I. Emodin – a secondary metabolite with multiple ecological functions in higher plants, 205

Jacbos, G. *see* Steyn, W.J.
Jastrow, J.D. *see* Miller, R.M.

Kärenlampi, S. *see* Koistinen, K.M.
Keinänen, S.I. *see* Koistinen, K.M.
Koistinen, K.M., Hassinen, V.H., Gynther, P.A.M., Lehesranta, S.J., Keinänen, S.I., Kokko, H.I., Oksanen, E.J., Tervahauta, A.I., Aurioła, S. & Kärenlampi, S. Birch PR-10c is induced by factors causing oxidative stress but appears not to confer tolerance to these agents, 381
Kokko, H.I. *see* Koistinen, K.M.
Kronzucker, H.J. *see* Britto, D.T.
Kürschner, W.M. Carbon isotope composition of fossil leaves – revealing ecophysiological responses to past environmental change, 199

Leake, J. Mycelial activity, 6
Lee, R-H. & Chen, S.C.G. Programmed cell death during rice leaf senescence is nonapoptotic, 25
Lehesranta, S.J. *see* Koistinen, K.M.
Lemanceau, P. *see* Gamalero, E.
Levy, F. *see* Taylor, S.I.
Lindwall, S. *see* Berry, A.M.
Lluisà, J. *see* Peñuelas, J.
Lonsdale, D. *see* Hendry, S.J.
Lovett-Doust, J. *see* Biernacki, M.
Lücking, R. *see* Sanders, W.B.
Luppi, A.M. *see* Girlanda, M.

Maathuis, Frans J.M. *see* Sokolovski, S.G.
Macnair, M.R. Within and between population genetic variation for zinc accumulation in *Arabidopsis halleri*, 59
Madsen, T.V. *see* Cedergreen, N.
Maldonado, J.M. *see* Herrera-Rodríguez, M.B.
Matinotti, M.G. *see* Gamalero, E.
Mayaba, N., Minibayeva, F. & Beckett, R.P. An oxidative burst of hydrogen peroxide during rehydration following desiccation in the moss *Atrichum androgynum*, 275
Meharg, A.A. *see* Gonzales-Chavez, C.
Meharg, A.A. *see* Hartley-Whitaker, J.
Meharg, A.A. *see* Sokolovski, S.G.
Miller, R.M., Miller, S.P., Jastrow, J.D. & Rivetta, C.B. Mycorrhizal mediated feedbacks influence net carbon gain and nutrient uptake in *Andropogon gerardii*, 149
Miller, S.P. *see* Miller, R.M.
Minibayeva, F. *see* Mayaba, N.
Moyersoen, B. *see* Selosse, M-A.
Murray, B. Plant population dynamics, 201
Myhre, E. *see* Vrålstad, T.

Nardi, S. *see* Pizzeghello, D.
Nash, R.J. Natural product biosynthesis, 7
Nicolini, G. *see* Pizzeghello, D.
Norby, R.J. *see* Edwards, N.T.

Obeso, J.R. The costs of reproduction in plants, 321
Oksanen, E.J. *see* Koistinen, K.M.
Olsson, P.A. *see* Van Aarle, I.M.
Owens, N.J.P. *see* Clark, D.R.
Owens, N.J.P. *see* Flynn, K.J.

Peñuelas, J. & Lluisà, J. Linking photorespiration, monoterpenes and thermotolerance in *Quercus*, 227
Pérez-Vicente, R. *see* Herrera-Rodríguez, M.B.
Petit, D. *see* Bert, V.
Pineda, M. *see* Herrera-Rodríguez, M.B.
Pizzeghello, D., Nicolini, G. & Nardi, S. Hormone-like activities of humic substances in different forest ecosystems, 393

Rasmussen, U. *see* Berry, A.M.
Redecker, D. *see* Bruns, T.
Rennenberg, H. & Schnitzler, J-P. VOCs – helping trees withstand global change?, 197
Reynolds, J.F. *see* Fernández, R.J.
Rivetta, C.B. *see* Miller, R.M.
Rodman, M.K., Yadav, N.S. & Artus, N. Progression of geminivirus transgene silencing is associated with transgene methylation, 461

Saito, K. & Yamazaki, M. Biochemistry and molecular biology of the late-stage of biosynthesis of anthocyanin: lessons from *Perilla frutescens* as a model plant, 9
Sanders, W.B. & Lücking, R. Reproductive strategies, relichenization, and thallus development observed *in situ* in leaf-dwelling lichen communities, 425
Saumitou-Laprade, P. *see* Bert, V.
Schat, H. *see* Ernst, W.H.O.
Schnitzler, J-P. *see* Rennenberg, H.
Schumacher, T. *see* Vrålstad, T.
Selosse, M-A., Bauer, R. & Moyersoen, B. Basal hymenomycetes

belonging to the Sebacinaceae are ectomycorrhizal on temperate deciduous trees, 183
Shimizu, H. *see* Zheng, Y.
Siddiqi, M.Y. *see* Britto, D.T.
Söderström, B. *see* Van Aarle, I.M.
Sokolovski, S.G., Meharg, A.A. & Maathuis, Frans J.M. *Calluna vulgaris* root cells show increased capacity for amino acid uptake when colonized with the mycorrhizal fungus *Hymenoscyphus ericae*, 525
Steyn, W.J., Wand, S.J.E., Holcroft, D.M. & Jacbos, G. Anthocyanins in vegetative tissues: A proposed unified function in photoprotection , 349
Stocci, V. *see* Iotti, M.
Summerfield, T.C., Galloway, D.J. & Eaton-Rye, J.J. Species of cyanolichens from *Pseudocyphellaria* with indistinguishable ITS sequences have different photobionts, 121
Szaro, T. *see* Bruns, T.

Tan, J. *see* Bruns, T.
Taylor, S.I. & Levy, F. Responses to soils and a test for preadaptation to serpentine in *Phacelia dubia* (Hydrophyllaceae), 437
Tervahauta, A.I. *see* Koistinen, K.M.
Treseder, K.K. & Allen, M.F. Direct N and P limitation of arbuscular mycorrhizal fungi: a model and field test, 507
Trotta, A. *see* Gamalero, E.
Tschaplinski, T.J. *see* Edwards, N.T.
Turney, C.S.M., Hunt, J.E. & Burrows, C. Deriving a consistent $\delta^{13}C$ signature from tree canopy leaf material for palaeoclimatic reconstruction, 301

Van Aarle, I.M., Olsson, P.A. & Söderström, B. Arbuscular mycorrhizal fungi respond to substrate pH of their extraradical mycelium by altered growth and root colonization, 173
Verkleij, J.A.C. *see* Ernst, W.H.O.
Vrålstad, T., Myhre, E. & Schumacher, T. Molecular diversity and phylogenetic affinities of symbiotic root-associated ascomycetes of the Helotiales in burnt and metal polluted habitats, 131

Wand, S.J.E. *see* Steyn, W.J.
Wang, M. *see* Fernández, R.J.
Westoby, M. *see* Wright, I.J.
Whiting, S.N. *see* Baker, A.J.M.
Woods, C. *see* Hartley-Whitaker, J.
Wright, I.J. & Westoby, M. Leaves at low versus high rainfall: coordination of structure, lifespan and physiology, 403

Yadav, N.S. *see* Rodman, M.K.
Yamazaki, M. *see* Saito, K.

Zambonelli, A. *see* Iotti, M.
Zheng, Y., Shimizu, H. & Barnes, J.D. Limitations to CO_2 assimilation in ozone-expressed leaves of *Plantago major*, 67

Keyword index

acclimation, 285
actinorhizal, 469
adaptation, 437
AFLP genotypes, 517
AGP, 469
allelopathy, 205
allometry, 79
Alnus, 469
amino acid, 525
ammonium, 101, 109, 373
Anasa tristis (squash bug), 265
Andropogon gerardii, 149
anthocyanidin synthase, 9
anthocyanin, 9, 349
antimicrobial activity, 205
α-pinene, 227
apoplastic transport, 4
apoptosis, 25
Arabidopsis halleri, 1, 47, 59, 469
arbuscular mycorrhizal fungi, 149, 163, 173, 507, 163
arsenic, 219
artificial selection, 59
Ascomycetes, 131
asparagine synthetase gene family, 33
assimilation, 101, 109
5-azacytidine, 461

basidiomycetes, 449
birch, 381
Bouteloua eriopoda (blackgrama), 79
bryophytes, 275
buthionine sulfoximine (BSO), 219

cadmium (Cd), 47
Calluna vulgaris, 525
carbon allocation, 149
carbon and nitrogen remobilization, 301
carbon gain, 149
Cd, 1
cellulose, 417
Chihuahuan Desert, 79
chlorophyll fluorescence, 67
Citrullus lanatus (watermelon, Cucurbitaceae), 265
CO_2 enrichment, 239
community composition, 507
compartmental analysis, 373
compensatory growth, 321
competition, 257
competitive hierarchy, 257
cooper, 381
culture medium, 499
cyanobacteria, 121

dark septate endophytes (DSE), 131, 481
dark sterile mycelia (DSM), 481
dark, 101, 109
defoliation, 257
demographic costs, 321
desiccation, 275
diatom, 101
differential gene expression, 33
dioecy, 321
DNA fragmentation, 25
DNA ladder, 25
DNA methylation, 461
drought, 79

ecology, 249
ecosystem structure, 249
ectomycorrhiza, 183
ectomycorrhizal fungi, 517
efflux, 373
electron transport rate (ETR), 227
emodin, 205
endemic, 437
endophytes, 449
environmental heterogeneity, 3663
Eragrostis lehmanniana (lovegrass), 79
ericoid mycorrhiza, 525
evergreen, 317
extraradical hyphae, 507
extraradical mycelium, 173

fertilization, 507
Fire survival, 517
flagellate, 101
flavonoid biosynthesis, 9
floating macrophyte, 285
foliicolous lichens, 425
Frankia, 469
free-air CO_2 enrichment (FACE), 239
fumigation, 227
Fv : Fm, 227

gas exchange, 67
gaseous regime, 449
gene expression, 9
global change, 197
Glomus intraradices, 173
Glomus mosseae, 163, 293
glutathione (GSH), 219
grassland, 257
group I intron, 131
growth analysis, 79
growth respiration, 239
growth, 101, 109, 285

Hawaii, 507
heavy metal ions, 1
heavy metal tolerance, 4
heavy metal uptake, 363
Helianthus annuus (sunflower), 33
herbivory and frugivory, 205
heritability, 59
Holcus lanatus, 163, 219
holm oak (*Quercus ilex*), 197
hormone-like activity, 393
humic substances, 393
hydrogen peroxide (H_2O_2), 275
Hymenoscyphus ericae, 525
hyperaccumulation, 1, 4, 47, 59

immunofluorescent labeling, 507
in vitro and *in vivo* activity, 393
interial transcibed spacer (ITS), 183, 481
invasion, 257
ion transport, 373
ITS, 121

latent invasion, 449
lead (Pb), 47
leaf dry mass per unit area (LMA), 317
leaf form, 317
leaf function, 317
leaf lifespan (LL), 403
leaf mass per area, 403
leaf mass per unit area, 301
leaf nutrient supply, 89
leaf senescence, 25
leaf turnover, 265
leaves, 373
Lemna minor, 285
lichen development, 425
lichen, 121
lichenization, 425
limonene, 227
Liquidambar styraciflua (sweetgum), 239
Lolium multiflorum, 417

maintenance respiration, 239
mass spectrometry, 381
membrane fluxes, 373
metal tolerance, 219, 437
mineral nutrient re-utilization, 89
model, 109
molecular characterization, 499
molecular ecology, 131
Mollisia, 131
monoterpenes, 197, 227
morphological characterization, 499
morphology, 183
multifunctionality, 205

native plants, 249
natural populations, 47
New Zealand, 301
Nicotiana benthamiana, 461
nitrate, 101, 109
nitrogen metabolism, 33
nitrogen uptake kinetics, 285
nitrogen use, 403
nitrogen, 373, 507, 525
nodulation, 469
Nostoc, 121
Nothofagus solandri var. *cliffortiodes* (mountain beech), 301

oxidative burst, 275
oxidative stress, 349, 381
oxygen isotopes, 417
ozone (O_3), 67
ozone, 249, 381

P : N ratio, 149
palaeoclimate reconstruction, 301
patchiness, 363
pectin, 469
Perilla frutescens, 9
peroxidases, 275
pH, 173
Phacelia, 437
Phialocephala fortinii, 131
Phomopsis/Diaporthe, 481
phosphatase activity, 173
phosphorus, 507
photo damage, 197
photochemical reflectance index (PRI), 227
photoinhibition, 349
photoprotection, 349
photorespiration, 197, 227
photosynthesis, 67
Phycopeltis, 425
physiological costs, 321
physiological integration, 321
phytochelatins, 219
phytoextraction, 1, 47
phytomining, 1
phytoplankton, 109
phytoremediation, 59, 363
plant community, 249
plant fitness, 205
plant growth promotion, 293
plant nutrition, 525
plant size, 321
Plantago major, 67
plasticity, 79, 363
post-fire recolonization, 517
post-transcriptional gene silencing, 461
PR-10, 381
programmed cell death, 25
Pseudocyphellaria, 121
Pseudomomas fluorescens, 293
pure culture, 499

rDNA genes, 481
red pigment, 349
relative stomatal limitation, 67
relichenization, 425
reproductive traits, 265
resource allocation, 265
Rhizoctonia, 183
Rhizopycnis vagum, 481
rice, 25
root colonization, 173
root foraging, 363
root morphogenesis, 293
root nodule, 469
root size and area, 265
root vs shoot uptake, 285
16S rRNA, 121
Rubisco, 67
Rubus cuneifolus (blackberry), 249

sap-feeding herbivory, 265
sclerophylly, 403
Scutellospora calospora, 173
Sebacinaceae, 183
secondary metabolites, 205
seed dispersal, 205
serpentine, 437
silver fir and beech forests, 393
soil fertility, 393
soils, 437
soluble carbohydrate concentrations, 239
somatic costs, 321
species mobility, 257
squash bug, 265
stable carbon isotope values ($\delta^{13}C$), 301
stable isotopes, 417
stem respiration, 239
stimulation of root nutrient uptake, 89
stomatal conductance, 67
sucrose, 239
symbiosis, 121

Tapesia, 131
temperature, 449
terrestrial carnivorous plants, 89
Thalassiosira weissflogii, 101
thermotolerance, 197, 227
Thlaspi caerulescens, 1, 4, 363
tomato (*Lycopersicon esculentum*), 293
tomato golden mosaic virus, 461
toughness, 403
Trebouxia, 425
tree rings, 417
Trentepohlia, 425
Tricharia, 425
$tRNA^{Leu}$ (UAA) intron, 121
truffles, 499
Tuber species, 499
TUNEL assay, 25
two-dimensional electrophoresis, 381

ultrastructure, 183
utilization of prey, 89

vegetation types, 317
vegetative tissues, 349
virus-induced gene silencing, 461
VOCs, 197

water relations, 265
water use, 403
water-use efficiency (WUE), 79
wheat (*Triticum aestivum*), 373

Xylariaceae, 449
xylem, 4

zinc (Zn), 47
zinc, 4, 59, 381
Zn hyperaccumulation, 363
Zn, 1